

SI964PM



Product Family
Built-in type
Dimensions
Power supply
Type
EAN code

Hob
Traditional
60 cm
Electric
Induction
8017709275822



Aesthetics



Aesthetic
Colour
Material
Glass type
Frame
Frame colour
Type of control setting
LED colours
Control knob position
No. of controls
Controls colour
Logo
Serigraphy colour
Alternative colours available

Victoria
Cream
Verniciato
Ceramic Eclipse
Yes
Cream
Control knobs
Red
Front
4
Chrome
Silk screen
Grey
White, Black, Stainless steel

Program / Functions



No. of induction cook zones	4
No. of cooking zones with booster	4
Power levels	9
Total no. of cook zones	4

Options



Worktop Cut-Out	478-482x555-560 mm	Control Lock / Child Safety	Yes
Limited Power Consumption Mode	Yes	Quick start	Yes
Limited Power Consumption Mode in W	1900, 2600, 3000, 3800, 4500 W		


Technical Features



Front-left - Induction - Single	- 2.30 kW - Booster 3.00 kW - Ø 21.0 cm		
Rear-left - Induction - Single	- 1.30 kW - Booster 1.40 kW - Ø 16.0 cm		
Rear-right - Induction - Single	- 2.30 kW - Booster 3.00 kW - Ø 21.0 cm		
Front-right - Induction - Single	- 1.30 kW - Booster 1.40 kW - Ø 16.0 cm		
Automatic setting according to pan dimension	Yes	Automatic switch off when overheat	Yes
pan detection	Yes	Residual heat indicator	Yes
Minimum pan diameter indication	Yes	Protection against accidental start up	Yes

Electrical Connection

Electrical connection rating (W)	7400 W	Additional connection modalities	Yes, Double and Three Phase
Current	33 A	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Terminal box	6 poles
Voltage 2 (V)	380-415 V	Plug	Not present
Type of electric cable installed	Yes, Single phase		



Compatible Accessories



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

Alternative products



SI964NM












Colour: Black



SI964XM

Colour: Stainless steel

Symbols glossary

	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.
	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.		Knobs control
	CUT_OUT_STANDAR_72dpi		Darkness becomes light
	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.		Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.
	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.		